

Lecture 7

September 27, 2023

Instructor: Sepehr Assadi

Disclaimer: *These notes have not been subjected to the usual scrutiny reserved for formal publications. They may be distributed outside this class only with the permission of the Instructor.*

Topics of this Lecture

1	Karger-Klein-Tarjan Algorithm for MST	1
1.1	Preliminaries	1
1.2	The <i>KKT Algorithm</i>	2

1 Karger-Klein-Tarjan Algorithm for MST

In the previous lecture, we went over the basics of the MSTs, the classical algorithms for it, and then saw the Fredman-Tarjan algorithm that solves this problem deterministically in $O(m \log^*(n))$ time. While for all practical purposes, this is as good as a linear time algorithm, mathematically speaking, $\log^*(n)$ still goes to $+\infty$ with n , no matter how slowly, and thus, this runtime is still truly $\omega(m)$.

In this lecture, we will go over another algorithm for this problem due to Karger, Klein, and Tarjan [KKT95], which runs in $O(m)$ time but it is randomized, i.e., its $O(m)$ runtime is in expectation (and with high probability).

Theorem 1 ([KKT95]). *There is a randomized algorithm for the minimum spanning tree problem that runs in $O(m)$ time in expectation and with high probability.*

In this lecture, we only prove the runtime of the algorithm in expectation (although extending it to a with high probability bound is quite simple also). Before moving on, we recall the following two key rules in the design of MST algorithms:

Cut Rule: *In any graph $G = (V, E)$, the minimum weight edge e in any cut S always belongs to the MST of G . This rule allows us to determine which edges to include in the MST.*

Cycle Rule: *In any graph $G = (V, E)$, the maximum weight edge e in any cycle C never belongs to the MST of G . This rule allows us to determine which edges to exclude from the MST.*

The general idea behind the Karger-Klein-Tarjan algorithm (henceforth, *KKT algorithm*) is to use the **cycle rule** to get rid of most edges of the graph quickly, namely, *sparsify* the graph, and then solve the problem recursively on this sparser graph. To present this algorithm, we need some preliminaries first.

1.1 Preliminaries

The following definition is key to the design of *KKT algorithm*.

Definition 2. Fix any graph $G = (V, E)$ and any forest F that is a *subgraph* of G . We say that an edge $e \in E \setminus F$ is **F -heavy** if adding e to F results in a cycle and e is the maximum weight edge of that cycle. We refer to any other edge as an **F -light** edge.

The following observation is a direct corollary of the **cycle rule** and the definition of F -heavy edges.

Observation 3. For any graph G , any forest F that is a subgraph of G , and any F -heavy edge e , the MST of $G - e$ is the same as the MST of G .

How do we use **Observation 3** in the algorithm? Suppose first that F is the MST of G ; then *every* edge $e \in G \setminus F$ is F -heavy and thus can be neglected when computing the MST of G . Obviously however, this is not helpful as we need to first compute the MST of G . But, what if we have some other forest F which is easier to compute than the MST? Then, **Observation 3** tells us that we can still neglect *every* F -heavy edges without any worry. Thus, in order to find the MST of G , we can first try to quickly find “some approximate” forest F , with the key property that *most* edges of the graph are F -heavy, and then recursively solve the problem on the remaining few F -light edges. This is precisely what *KKT algorithm* does.

There is one more missing ingredient in the above approach. Given a graph G and a forest F , how quickly can we find the set of F -heavy edges? It is easy to check if a *single* each is F -heavy or not in linear time. But, doing this for every edge this way separately leads to a quadratic time algorithm which is way above our budget. Nevertheless, a surprising fact is the we can find *all* F -heavy edges in linear time as well!

Theorem 4 ([Kom85, DRT92, Kin97]). There is an algorithm that given any graph G and any forest F which is a subgraph of G , outputs the set of all F -heavy edges in $O(m + n)$ time.

We will not cover this algorithm in this course and just take it for granted. We only mention that there is a great deal of algorithmic work on this problem with the goal of finding simpler algorithms, but it does look like we still do not have a particularly simple algorithm for this problem. Also a note that these algorithms are often studied for the purpose of *MST verification* since having such an algorithm allows us to detect if a given tree F is an MST or not (the MST of the graph is the only one that makes all other edges F -heavy).

1.2 The *KKT Algorithm*

We are now ready to present the *KKT algorithm*. We note that given the recursive nature of the algorithm and since it can be called on not-necessarily connected graph, we use the term *Minimum Spanning Forest (MSF)* throughout which refers to a collection of MSTs on each connected components of the graph.

Algorithm 1 (Karger-Klein-Tarjan Algorithm).

- (i) Run 3 rounds of the Boruvka’s algorithm and let G' be the contracted graph obtained from G^a .
- (ii) Sample each edge of G' independently with probability $1/2$ to obtain a graph G_1 . **Recursively** find the MSF of G_1 and call it F .
- (iii) Use the algorithm of **Theorem 4** to find all F -heavy edges of G' and let G_2 be the graph obtained from G' after removing them.
- (iv) **Recursively** find the MSF of G_2 and return it as the answer.

^aThis is a simple preprocessing step to reduce the number of vertices slightly

Proof of Correctness. The correctness of this algorithm is actually quite easy to proof. The first step is correct due to the correctness of Boruvka’s algorithm established earlier. Regardless of the choice of G_1 and

the resulting MSF F , we have by [Observation 3](#) that none of the edges removed from G to obtain G_2 can be part of the MSF of G . Thus, finding the MSF of G_2 is the same as the MSF of G to begin with, and thus the algorithm returns the correct answer.

Runtime Analysis. The key to the analysis of the algorithm is to show that the graph G_2 actually has few edges. In other words, after picking the MSF F on (almost) half the edges, the set of F -heavy edges more or less contains all but $O(n)$ edges of the graph.

Lemma 5. *The expected number of F -light edges in [Algorithm 1](#) is at most $2 \cdot (n' - 1)$ where n' is the number of vertices in G' .*

Proof. Notice that even though we are computing MSF of G_1 using a recursive call to the *KKT algorithm*, given that MSF is unique (recall our assumption on distinct weights from the last lecture), for the purpose of the analysis, we can assume F is instead computed using Kruskal's algorithm. This is because the distribution of F is identical in both cases.

Now, let us examine how Kruskal's algorithm works. Suppose we sort all edges of G' (and not only G_1) in increasing order of weight and call them $e_1, \dots, e_{m'}$. Consider the following process. We go over these edges one by one call F_i the subgraph of F maintained so far when visiting the edge e_i . We check if adding e_i to F_i creates a cycle or not. If it does, then whether or not e_i is sampled in G_1 we are not going to pick this edge in the MSF F so we just ignore it. But, if it does not, it is only now that we check whether e_i belongs to G_1 even or not. This means that only now we toss the coin to decide if e_i joins G_1 or not. Notice that, despite all these seeming changes, we actually have not changed the distribution of F in anyway in this process (we can toss a coin for neglected edges and include them in G_1 if we want just to make sure the distribution of G_1 remains identical, although this does not change the distribution of F in any way).

Finally, note that all the edges ignored in this process are certainly F -heavy because they created a cycle even with a subgraph of F and are the heaviest weight edge of that cycle. Thus, the number of F -light edges is at most equal to the number of edges that we did not ignore, in other words, the edges that we tossed a coin for. At the same time, whenever we toss a coin, with probability half, we add the edge to the forest F . Moreover, the forest F cannot have more than $n' - 1$ edges. So, the expected number of coin tosses we can have before collecting $n' - 1$ edges in F is $2 \cdot (n' - 1)$, proving the lemma. \square

We are now ready to conclude the proof. Firstly, let $A(G, r)$ denote the runtime of the algorithm on a graph G when *all* the random bits we use is r (note that $A(G, r)$ is deterministically fixed after we fixed the randomness). We have,

$$A(G, r) \leq c \cdot (m + n) + A(G_1, r) + A(G_2, r),$$

for some absolute constant $c > 0$ which is the hidden constant in $O(m + n)$ time needed for Boruvka's algorithm in the first step, the use of [Theorem 4](#), and general bookkeeping throughout the algorithm ignoring the recursive calls. Thus, the expected runtime of the algorithm on a graph G is

$$\mathbb{E}_r[A(G, r)] \leq c \cdot (m + n) + \mathbb{E}_r[A(G_1, r)] + \mathbb{E}_r[A(G_2, r)]. \quad (1)$$

Now, define $T(m, n, r)$ as the worst-case runtime of the algorithm on a graph with m edges, n vertices, and for the randomness r . We prove inductively that

$$\mathbb{E}_r[T(m, n, r)] \leq 2c \cdot (m + n).$$

For any graph H , let $m(H)$ and $n(H)$, denote the number of edges and vertices in H , respectively. Also, let r_1 be the randomness used out of the recursive calls and r_2 be the randomness of the recursive calls. Given [Eq \(1\)](#), we have,

$$\mathbb{E}_r[T(m, n, r)] \leq c \cdot (m + n) + \mathbb{E}_r[T(m(G_1), n(G_1), r)] + \mathbb{E}_r[T(m(G_2), n(G_2), r)]$$

$$\begin{aligned}
&\leq c \cdot (m + n) + \mathbb{E}_{r_1} \left[\mathbb{E}_{r_2} [T(m(G_1), n(G_1), r_2)] \right] + \mathbb{E}_{r_1} \left[\mathbb{E}_{r_2} [T(m(G_2), n(G_2), r_2)] \right] \\
&\text{(the recursive calls themselves only depend on } r_2 \text{ (after fixing their input based on } r_1)) \\
&\leq c \cdot (m + n) + \mathbb{E}_{r_1} [2c \cdot (m(G_1) + n/8)] + \mathbb{E}_{r_1} [2c \cdot (m(G_2) + n/8)] \\
&\text{(by induction hypothesis and as 3 rounds of Boruvka's algorithm reduces vertices by a factor of 8)} \\
&\leq c \cdot (m + n) + 2c \cdot (m/2 + n/8) + 2c \cdot (2n/8 + n/8) \\
&\quad \text{(as } \mathbb{E}[m(G_1)] = m'/2 \leq m/2 \text{ trivially and } \mathbb{E}[m(G_2)] \leq 2n' \leq 2n/8 \text{ by Lemma 5)} \\
&= 2c \cdot m + c \cdot (n + n/4 + 3n/4) = 2c \cdot (m + n),
\end{aligned}$$

proving the induction step. Thus, the runtime of the algorithm is $O(m + n)$ in expectation.

This concludes the proof of [Theorem 1](#) and our study of MST algorithms in this course.

Remark. The *KKT algorithm* provided the first linear time algorithm for MSTs but at the “cost” of randomization. Hence, the search for a deterministic algorithm for this problem still continues and to date we do not know such an algorithm. The Fredman-Tarjan algorithm we discussed in the last lecture has been improved multiple times, with the current best deterministic algorithm due to Chazelle [[Cha00](#)] with runtime $O(m \cdot \alpha(n))$ where $\alpha(n)$ is a certain *Inverse Ackerman* function. There is also the algorithm of Pettie and Ramachandran [[PR02](#)] that is *provably optimal* but its runtime is not known.

References

- [Cha00] Bernard Chazelle. A minimum spanning tree algorithm with inverse-ackermann type complexity. *J. ACM*, 47(6):1028–1047, 2000. [4](#)
- [DRT92] Brandon Dixon, Monika Rauch, and Robert Endre Tarjan. Verification and sensitivity analysis of minimum spanning trees in linear time. *SIAM J. Comput.*, 21(6):1184–1192, 1992. [2](#)
- [Kin97] Valerie King. A simpler minimum spanning tree verification algorithm. *Algorithmica*, 18(2):263–270, 1997. [2](#)
- [KKT95] David R. Karger, Philip N. Klein, and Robert Endre Tarjan. A randomized linear-time algorithm to find minimum spanning trees. *J. ACM*, 42(2):321–328, 1995. [1](#)
- [Kom85] János Komlós. Linear verification for spanning trees. *Comb.*, 5(1):57–65, 1985. [2](#)
- [PR02] Seth Pettie and Vijaya Ramachandran. An optimal minimum spanning tree algorithm. *J. ACM*, 49(1):16–34, 2002. [4](#)